This is a digital copy of a book that was preserved for generations on library shelves before it was carefully scanned by Google as part of a project to make the world's books discoverable online.

It has survived long enough for the copyright to expire and the book to enter the public domain. A public domain book is one that was never subject to copyright or whose legal copyright term has expired. Whether a book is in the public domain may vary country to country. Public domain books are our gateways to the past, representing a wealth of history, culture and knowledge that's often difficult to discover.

Marks, notations and other marginalia present in the original volume will appear in this file - a reminder of this book's long journey from the publisher to a library and finally to you.

Usage guidelines

Google is proud to partner with libraries to digitize public domain materials and make them widely accessible. Public domain books belong to the public and we are merely their custodians. Nevertheless, this work is expensive, so in order to keep providing this resource, we have taken steps to prevent abuse by commercial parties, including placing technical restrictions on automated querying.

We also ask that you:

- *Make non-commercial use of the files* We designed Google Book Search for use by individuals, and we request that you use these files for personal, non-commercial purposes.
- *Refrain from automated querying* Do not send automated queries of any sort to Google's system: If you are conducting research on machine translation, optical character recognition or other areas where access to a large amount of text is helpful, please contact us. We encourage the use of public domain materials for these purposes and may be able to help.
- *Maintain attribution* The Google "watermark" you see on each file is essential for informing people about this project and helping them find additional materials through Google Book Search. Please do not remove it.
- *Keep it legal* Whatever your use, remember that you are responsible for ensuring that what you are doing is legal. Do not assume that just because we believe a book is in the public domain for users in the United States, that the work is also in the public domain for users in other countries. Whether a book is still in copyright varies from country to country, and we can't offer guidance on whether any specific use of any specific book is allowed. Please do not assume that a book's appearance in Google Book Search means it can be used in any manner anywhere in the world. Copyright infringement liability can be quite severe.

About Google Book Search

Google's mission is to organize the world's information and to make it universally accessible and useful. Google Book Search helps readers discover the world's books while helping authors and publishers reach new audiences. You can search through the full text of this book on the web at `http://books.google.com/`

Derby · Anthracite and Health · 1868

Med
4405
10

3 2044 055 040 786



Med 4405.10

VE RI TAS

HARVARD
COLLEGE
LIBRARY

Francis Parkman Esq,
with the regards of
G D

Env 26[illegible].2

PRICE 25 CENTS.

ANTHRACITE
AND
HEALTH.

BY

GEORGE DERBY, M. D.

BOSTON: — A. WILLIAMS & CO.

AN INQUIRY

INTO THE

NFLUENCE UPON HEALTH

OF

ANTHRACITE COAL

HEN USED AS FUEL FOR WARMING DWELLING-HOUSES,

WITH SOME REMARKS UPON SPECIAL EVAPORATING APPARATUS.

BY

GEORGE DERBY, M.D.,

RGEON TO THE BOSTON CITY HOSPITAL, EDITOR OF STATE REGISTRATION REPORTS,
LATE BVT. LIEUT.-COL. AND SURGEON U. S. VOLS.

BOSTON:
A. WILLIAMS & COMPANY,
100 WASHINGTON STREET.
1868.

~~[illegible]~~

[illegible]

Entered according to Act of Congress, in the year 1868, by
A. WILLIAMS & CO.,
In the Clerk's Office of the District Court for the District of Massachuset

Rockwell & Rollins, Stereotypers and Printers,
122 Washington Street, Boston.

PREFACE.

THE following observations upon the influence of anthracite fuel upon health were read before the "Boston Society for Medical Improvement," at their meeting on the 10th instant.

The paper is published in this form in the hope that it may contribute to a general knowledge of one of the many ways in which disease may be prevented and health may be preserved.

102 CHARLES STREET, BOSTON,
February 20, 1868.

ANTHRACITE AND HEALTH.

SIXTY years ago anthracite coal was regarded all over the world as incombustible refuse. Its use in America dates from the period when supplies of English coal for the manufacturers of the Middle States were cut off by the war of 1812. Attention was then drawn to the anthracite deposits in Pennsylvania, and many vain attempts were made to use them.

These efforts were finally successful; and within ten years, or about 1820, the use of hard coal for manufacturing purposes became general. It was not however until about 1830 that it began to be employed for warming houses, and still later for cooking. Recently it has become the fuel generally used for both these purposes.

There has always however been a minority of persons who have disliked it in their houses, who have resisted its introduction in the rooms in which they lived; and not a few who after trial have discarded it and substituted bituminous coal and wood.

Its great economy of labor and its heating power have been sufficient recommendations however to allow of its almost universal use in hot-air furnaces; and at the present time it is safe to say that ninety-nine dwelling-houses out of a hundred in Boston are, in whole or in part, warmed by this fuel burned in iron stoves, or in the iron fire-pot of a furnace which is but a stove in another form.

The object of this inquiry is to learn if we can whether this is conducive to health; and if injurious why it is so.

It is a matter of common observation that different kinds of fuel give apparently different kinds of heat. Hard coal on the one hand, and soft coal and wood on the other, produce different impressions. Anthracite burning in an open grate affects, if not everybody, certainly a great majority of persons very differently from an open fire of wood.

The heat is radiant in both cases, warming the floor and the furniture and the bodies both animate and inanimate on which its rays fall; the temperature may be the same; the ventilation also is, or may be, perfectly good in both cases; yet the impressions, not the moral impressions affected by a beautiful fire or pleasant associations, but the impressions upon the nervous system are quite different.

With a certain proportion of persons who may

supposed to be more sensitive, anthracite burned
this way under the most apparently favorable
cumstances causes difficult respiration, head-
he (often described as if an iron hoop were bound
und the head), dizziness, confusion of ideas, lan-
or, heaviness, — a group of symptoms leading to
e suspicion of the presence of a narcotic poison.
ese unpleasant sensations are generally removed
most immediately on breathing the open air.

Many other persons without analyzing the effects
produces do not like a hard-coal fire, and in
te of its convenience and economy will not use
in the rooms which they occupy through the day,
d burn soft coal or wood in their parlors and
siness-offices at twice the cost of anthracite.

The same difference may be observed in stoves
rning wood or anthracite, although it is less
parent because usually in both cases ventila-
n is bad, and impressions produced by foul air
scure those which proceed from fuel.

In the case of furnaces we have a fair subject
comparison between those which pass the air
er and around a heated fire-pot containing an-
racite, and those in which the air is conducted
rough coils of pipe containing either steam or
t water, and enclosed in a confined space in the
llar or basement.

In each of these cases the air is forced into the
oms above, and ventilation may be perfectly

good; the temperature may be the same; yet the impressions made by these two kinds of heated air, one proceeding from a fire-pot filled with anthracite, the other from pipes filled with steam condensing into water, or with hot water, are to many persons quite different and can be distinguished.

If further proof is needed of the reality of this difference it may be found in the action of these two kinds of heating-apparatus upon plants.

It is notoriously difficult to make the more delicate varieties flourish in houses warmed by anthracite stoves or furnaces. A gentleman conversant with plants informs the writer that experience has proved that hot-air anthracite furnaces, like those in dwelling-houses, cannot be used in greenhouses.

Where anthracite is the fuel employed, as it generally is, the fire is in a separate building and heat is communicated to the greenhouse either by hot-water pipes carried round its walls and under its floor, or by brick flues carrying the heated air with the products of combustion by a long and circuitous passage round the building; heat being thus radiated either from the water-pipes or the brick-work.

In seeking an explanation of these phenomena, it is proper to mention certain conjectures which have been made as to the physiological effects of *heat proceeding* from different sources. The analgy with light is the basis upon which they rest. hus it has been suggested that rays of heat from ifferent bodies may have properties corresponding ith their refrangibility and rates of vibration. As npressions of color are found to depend on rates f undulation in rays of light, so the various imressions of heat upon the human body may depend pon the rates of undulation in rays of heat.

The belief is very generally entertained among ose who feel and complain of the unpleasant ffects of anthracite fires that they are due to ryness of the air. It is also not uncommonly elieved that passing air over red-hot iron removes s oxygen as well as its moisture; deprives it, in ome way, of qualities essential to the support of espiration, and burns the dust which it contains; at all these things are injurious to health; and at the remedies are found in moderately heated on and abundant evaporation. We propose, as riefly as possible, to consider these several stateents.

Iron excessively heated may finally be burned, ad by that process deprive the air in contact with of a portion of its oxygen. In no other way an its oxygen be removed, and how slow this rocess is may be known by the number of years equired to burn the fire-pot of a furnace, the chief estruction of course going on within and not ithout.

It is within bounds to say that one pair of lu will consume more oxygen in a given time than heated iron of a hundred furnaces. In so far oxygen and nitrogen are concerned, a furnace, h ever heated, has no power to change these ga in the slightest degree except by burning consuming the iron in their passage over Excessively heated iron burns the dust with wh in crowded towns the air is always filled. stream of sunlight falling in a darkened room show how abundant this is. It consists of detritus of every imaginable thing used in social economy; clothing, food, organic emanati from our bodies and those of the lower anim shoe-leather, mineral particles raised from earth, besides the germs of infusorial life c cerned in all the processes of putrefaction decay.

It seems at least probable that the destructi of most of these substances would relieve us fr danger, as they are supposed to be agents in propagation of disease. The part which infuso life may play in the human economy is obscure; useful office which it fulfils in the living body is yet unproved. So far as known its duties are clusively with dead organic matter. It has be suggested that the particles of which dust is co posed are not burned in their passage over hea *iron, but that* organic material may be so chan

heat as to give it new properties, the nature of
ich is unknown, but which may have an injurious
uence. It is quite possible this may be so, but
is unproved. We know that dust so charred has
offensive odor.

Has iron excessively heated any power of ab-
acting moisture from air passing over it, or any
uence upon the vapor of the air differing from
t which it receives from iron heated to a moder-
degree? The drying of air by heating it is rel-
e and not absolute. The capacity of air to hold
ter in the form of invisible vapor is enormously
eased as its temperature is raised. Thus air at
above zero, Fahrenheit, will retain 1.11 grains,
30° 2.21 grains, at 50° 4.28 grains, and at 70°
rains to the cubic foot. These are the points of
uration, and any addition of vapor at these tem-
atures must fall as visible water. Instead of
tracting moisture, heated substances of any sort
ever heated and to whatever degree simply in-
se the avidity of air subjected to their influence
the absorption and retention of additional
ounts. Theoretically it makes no difference in
far as moisture is concerned whether the air
room at 65° or 70° has attained this tem-
ature by passing over a long range of pipes
ining water at a temperature of 160°, steam
emperature where it is condensed into water
), or red-hot iron plates at a temperature of
° *to 1,500°.* Practically, we are prepared to

show that this is confirmed by observa Seven dry and wet-bulb hygrometers made by Siefert and carefully compared before being iss were placed on the 27th January, 1868, in as n different buildings warmed in all the prin modes now in use, viz., hot-water pipes, s pipes, furnaces for burning anthracite, one fur for burning wood, and one large room warme an open grate burning anthracite.

The object of the inquiry being to asce whether the kind of heating apparatus had an fluence upon the moisture of the air, and particu whether iron heated to 1,000° made the air ing over it dryer than iron heated to 160°, no e orating apparatus was used in any of the s buildings except the fifth.

These observations were made in the coldest son of the year, and when all the means of war houses which our climate can demand were requ During the first thirteen days the mercury n rose above 32° and was once observed below

The markings of the dry and wet bulbs noted at 9 A. M. and 2 P. M., and from them the ative humidity was ascertained by referenc Glaisher's Psychrometrical Tables published in collections of the Smithsonian Institution.

No. 1. A moderate-sized private dwelling-h warmed entirely by a hot-air furnace burning *thracite.* Fire-pot not lined; coal in contact *iron. No* evaporating apparatus.

No. 2. A larger private dwelling-house, warmed by a hot-air furnace burning anthracite. No evaporating apparatus.

No. 3. The library of the State House; warmed by hot-water pipes in the cellar until February 5th; on and after that date by steam pipes in the cellar and a few coils in the room. No evaporating apparatus.

No. 4. Library of the Boston Athenæum, warmed by hot-water pipes in the cellar. No evaporating apparatus.

No. 5. A large room (about twenty-two feet square) on first story of a dwelling-house, warmed by a grate burning anthracite. The entry of this house moderately warmed by an anthracite furnace over which from six to eight quarts of water are evaporated daily. No register from furnace enters the room where observations were made.

No. 6. A dwelling-house, warmed by steam pipes enclosed in basement. No evaporating apparatus.

No. 7. A dwelling-house, warmed by a furnace burning only wood. No evaporating apparatus.

The figures in the column headed "relative humidity" show the proportion of moisture held in the air relative to the amount which could be retained the temperature indicated by the dry-bulb thermeter, *saturation being 100 in all cases.*

Record of temperature and relative humidity of the

DATE.	Temperature of Outer Air.		No. 1, Hot-Air Furnace.				No. 2, Hot-Air Furnace.				No. 3, Hot-Water and Steam Pipes.			
			9 A.M.		2 P.M.		9 A.M.		2 P.M.		9 A.M.		2 P.M.	
	9 A.M.	2 P.M.	Temp.	Humidity.	Temp.	Humidity.	Temp.	Humidity.	Temp.	Humidity.	Temp.	Humidity.	Temp.	Humidity.
1868														
Jan. 27	17	24	65	47	64	51								
" 28	21	25	64	49	65	51					65½	40	70	40
" 29	25	30	62	50	66½	55	68½	49	63½	49	69	40	69½	40
" 30	26	25	62	59	67	52	65½	51	65½	48	70	40	73	37
" 31	14	26	57	53	69	50	68	44	67½	43	68	38	72	39
Feb. 1	17	25	59	50	65	49	64	47	69	45	66	40	70	36
" 2	21	32	64	47	66	52	65	47	66½	51				
" 3	5	8	62	50	66	52	69	45	65	47	61	39	64	40
" 4	14	25	57	53	66	50	57	47	66½	43	64	37	69	36
" 5	9	27	63	47	66	50	68	42			78	33	75	37
" 6	27	32	64½	53	68	53	73	39			79	41	74	45
" 7	18	20	65	52	64	50	69	42	65	44	73	45	68	44
" 8	—2	18	58	44	63	50	64½	42	64	45	72	45		
" 9	32	40	63	50	67	55	64	44	69½	47				
" 10	16	16	63	50	68	50	70	47	73	41	64	56	76	41
" 11	11	21	60	50	65	52	65½	43	64	45	70	45	74	45
" 12	12	26	60	50	65	52	68½	43	72	41	67	42		
" 13	29	37	62	50	65	52	69	45	70	35	68	44	72	45
" 14	15	17	66	49	66½	48	69½	45	71	42	68	42	76	49
" 15	28	39	63	50	63	56	65	49	61	53	68	44	72	45
Mean temp.	17.7	25.6	62		65.7		66 8		67.1		68 8		71.6	
Mean hum'y.				50.1		51.5		45.1		44.9		41.8		4

of houses warmed in several different ways.

No. 4, ot-water Pipes.				No 5, Grate burning Anthracite.				No. 6, Steam Pipes.				No. 7, Furnace burning wood.			
A.M.		2 P.M.		9 A.M.		2 P.M.		9 A.M.		2 P.M.		9 A.M.		2 P.M.	
	Humidity.	Temp.	Humidity.	Temp.	Humidity.	Temp.	Humidity.	Temp.	Humidity.	Temp.	Humidity.	Temp.	Humidity.	Temp.	Humidity.
								65	49	65	49	61	50	66	47
		71	38					65	49	65	49	64	47	59	56
4	42	72	43	65	53	71	47	65	47	65	47	66	47	63	50
9	40	73	43	65½	48	71	47	64	47	64	47	69	42	65	47
7	40	72	43	61	53	70	49	58	50	59	50	63	44	59	50
9	38	74	38	65	49	69	50	65	47	65	47	65	44	62	47
				65½	51	68	4	66	44	68	44	67	42	67	47
				64½	44	70	49	62	44	62	44	60	44	64	42
4	37	71	38	62	49	69	46	61	44	62	44	61	44	63	44
7	40	75	37	64	47	70½	48	62	44	64	47	59	47	68	40
3	40	72	45	65½	51	70	49	67	47	70	44	68	44	70	42
4	42	72	43	64½	53	71	48	60	47	64	47	69	38	62	44
4	37	72	40	64½	50	66	50	62	44	63	44	62	42	63	42
				69	47	70	51	65	49	66	50	69	42	68	47
1	44	67	40	67	49	70	49	66	47	68	42	67	44	72	41
3	36	71	38	63½	48	69½	48	66	42	66	44	61	42	68	40
4	39	71	40	69	47	69	47	64	42	70	42	67	42	62	50
3	40	66	47	67	50	71	52	64	44	64	47	68	50	69	50
7	40	66	47	67½	47	69	51	65	44	64	42	64	47	68	42
5	42	69	40	66	47	70	49	65	44	68	44	70	47	65	49
.9	39.8	70.9	41.2	63.1	49	69.7	48.7	63.8	45.7	65.1	45.7	65	44.4	65.1	45.8

It will be seen by the preceding table that the greatest relative humidity, or the moistest air, was found in the house warmed by air which had passed over iron heated to a very high degree,—certainly often during this period to 1,000° Fahrenheit.

The least relative humidity, the driest air, was found in the library of the Athenæum, in which had passed over pipes heated to a point always le than the boiling-point of water, and usually abou 170° Fahrenheit.

The library of the State House (hot-water and steam pipes) was almost equally dry.

Both the libraries were drier than either of the dwelling-houses, and probably for two reasons The temperature was higher, and the relative humidity diminishes rapidly above a temperature of 65°. Also the absence of cooking operations an of collections of water such as are found in all dwelling-houses contributed no doubt to the result.

No. 5, the room warmed by an open grate burning anthracite, is above the average as regar moisture, but it may have been and probably w affected by the evaporation of water in the furnac

Of the four remaining dwelling-houses, the differences of humidity are only such as might be expected from their comparative size and from th different number of persons occupying them. N 1 probably received more vapor from respiratic and from culinary operations than either of th others.

Nos. 2, 6, and 7, one warmed by a common anhracite furnace, another by steam pipes, and the hird by a wood furnace which was often heated in parts to the point of incipient redness, show almost precisely the same results.

We think the conclusion may fairly be drawn from this record that *iron heated to any point possible in our furnaces has no power to abstract moisture from the air.* Theory and practice in this respect are in perfect accord. Each confirms the other.

In so far as artificial evaporation is concerned it is *equally* needed with steam pipes * and hot-water pipes as with fire-pots heated red-hot. If the air of a room warmed to 65° or 68° by hot-water pipes is pleasant, and the air of a room warmed to 65° or 68° by an anthracite fire is unpleasant, in both cases no artificial evaporation being employed, the difference is not in the simple dryness of the air and must be in something else.

Moreover if the anthracite-heated room is really made more tolerable at these temperatures by the addition of vapor, as many intelligent persons maintain, it appears to the writer that it must be through some action of vapor as yet unexplained. Certainly the *need* of additional vapor is not felt at these temperatures with radiating open fires of wood or bituminous coal, or with heat derived from hot-water pipes or steam pipes.

---

* Buildings specially arranged for drying cotton cloth, wood, or *other materials,* are usually heated by steam pipes.

The degree of relative humidity which air should possess for healthy respiration has been the subject of much inquiry, and particularly in our anthracite-burning community where it is no uncommon thing to find the temperature of a room 75° or 80° at a height of five feet from the floor, and ten degrees higher at the ceiling. We believe that a right understanding of this most important subject has not yet been reached, and that some of the difficulties in the solution of the question are to be found in the unfitness of air for respiration from other causes than its condition of humidity. Some of these causes we shall presently refer to. The quality of air in the library of the Boston Athenæum is worthy of the notice and observation of those who are interested in the subject. This air, coming through coils of iron pipes containing water much below the boiling-point, it will be seen by the preceding table is exceedingly dry and yet perfectly agreeable, and its wholesome character when as is usually the case it is frequently changed by ventilation can hardly be doubted. One reason why the need of speci evaporating apparatus in our houses is so much insisted on is a purely theoretical one. The argume is something like this: Air taken from out of door at the average winter temperature of 28° with a relative humidity of 60 (saturation being 100) contains 1.26 grains of vapor to the cubic foot.

Raise the temperature by a furnace so that the thermometer shall be at 68° within the house, and unless water is artificially added the relative humidity will be 17, which is drier than the air of a desert. All this is strictly true, yet practically in our houses it is not so. Water *is* added in all such cases, but the sources of its supply are not obvious. They are found in respiration, in all the numerous collections of water about the interior of houses, in culinary operations, in the stores of water contained in all hygroscopic substances (and almost everything is hygroscopic), and very possibly by the absorption of additional amounts of vapor from the outer air through all the channels concerned in natural ventilation, by windows and doors, and cracks and crannies of every kind. There is however in spite of all these means of adding to the relative humidity of heated air a certain obscurity as to the sources of supply. Thus it is stated by Haller* that experiments carried on over six years with the Meissner stove common in Germany showed that the relative humidity was not lessened at all by moderate warming.

The preceding table gives abundant proof that the relative humidity of air raised 50° or 60° is not changed in anything like the proportion which would exist theoretically, and which would certainly exist practically if all sources of additional moisture could be excluded.

---

* Die *Lüftung und* Erwärmung der Kinderstube und des Kranken *Zimmers, Von D. C.* Haller, 1860.

Another cause of error in reasonings upon subject seems to be found in overlooking the po of adaptation which man possesses to changed co tions of humidity, as well as to so many other the circumstances by which he is surrounded. human body cannot be regarded as an inani hygroscopic substance liable to warp and crack a piece of furniture. A close analogy may be covered between the capacity not only to bear, to enjoy the highest health under extreme alte tions of both temperature and humidity. Ani heat is maintained at about 98° whether the t perature of the air is 20° below zero or 100° abo It by no means follows because the air is dry t the evaporation from the human body is in p portion to its aridity, although this no doubt an effect. But supposing this excessive evap tion were proved, it still remains to be shown t the effects upon health are injurious. A ma in himself a reservoir of water, three-quarters his whole bulk being composed of that elem and he is also a great evaporator, giving off by skin and lungs, according to the best authorit from 25 to 40 ounces or about a quart of water day. This exhalation is doubtless controlled, l ited, and regulated by the nervous system. C tainly knowing these facts we may at least d the expediency of adding the evaporation of w to the heating apparatus in any crowded assem

A theatre or lecture-room containing 2,400 people is already provided with an evaporating apparatus throwing into the air 25 gallons of water per hour, and under such circumstances the air soon becomes saturated unless frequently renewed. That saturated warm air is exceedingly oppressive is a fact which everybody recognizes in the dog-days of August. Those who have been long exposed to the summer air of the low-lying wet regions of our southern coast will not need to be reminded of it. On the other hand, the dry air of the interior of the South American continent is reported by Boussingault and others to be exceedingly healthful and agreeable. Who can say that the dry air of Minnesota is less salubrious than the moist air of Nantucket or Newport? There is no reason to suppose that either is wanting in conditions of humidity favorable to health and long life. The meteorological tables of the Smithsonian Institution enable us to compare these two regions for 1859. New Bedford, Mass., at 90 feet elevation above the sea, has a mean relative humidity of 80, while Fairfield, Iowa, 940 feet elevation above the sea, has a mean relative humidity of 61, saturation being 100. In the three winter months, the minimum humidity was often observed at Fairfield as low as , and sometimes even 5. The same is no doubt ue of St. Paul, Minnesota, so much resorted to invalids; but of the hygrometry of Minnesota we can learn nothing positive from any repor published by the Smithsonian Institution, althoug it is understood that they have a mass of observations made since 1859 but not yet reduced to form for publication.

Evidence of the healthfulness of dry air is als afforded by the experience of arctic voyagers. I those excessively cold regions the air of the cabins of vessels, heated to 60° or 70°, must b as dry as anything which can be found in th world. It is stated by Mr. Steinmetz, an Englis writer on meteorology, that the wainscoting of th cabin of a ship in the arctic regions sometimes shrink half an inch in a panel of fifteen inches width. Ye it is well known that the health of crews in th frozen seas is singularly preserved.

In view of this tolerance of air almost devoid o vapor and the ready adaptation of the human syste to such extremes, it may be suspected that it woul be more reasonable to regard the absolute as we as the relative humidity of air. Although as befor stated air raised from 28° to 68° becomes *relativel* dry, it remains *absolutely* nearly as humid as befor the only difference being in its expansion of volum which between the points referred to would b only about nine-hundredths of one per cent. I may also be imagined that the human body becom in the winter months attuned (if the expressio *may be* allowed) to a diminished amount of aer vapor, and that a single grain to the cubic foot, which is even more than we get in the outer air with the temperature at zero, is in accordance with ome general plan of nature whose workings in this espect as in so many others are imperfectly derstood.

The tolerance by man of air possessing the ex- emes of humidity is shown on the one hand by e good health of sailors in tropical seas breathing ir very nearly or quite saturated with moisture, 0.8 grain to the cubic foot at 80° Fahrenheit; and n the other hand by the robust and vigorous ealth enjoyed by lumbermen and arctic adven- urers breathing air which, at 10° Fahrenheit, holds ut 1.1 grain to the cubic foot. In the latter case e may also suppose that the air is raised in emperature even higher than the tropical air efore it reaches the air-cells of the lungs, and sup- lied with at least ten or twelve grains of vapor to e cubic foot before it is expired.

Yet this hydrating process is performed for an definite period without the least inconvenience, the man is duly supplied with clothing and od.

One of the most marked disadvantages on the ore of health attending a very moist artificial osphere is the tendency which is observed in the por to combine with organic impurities. This t has been frequently noticed, and is specially referred to by Dr. Parkes, of the Netley School, i his invaluable treatise on Hygiene.* He says "The most important class of diseases produced b impurities in the atmosphere are certainly caus by the presence of organic matters floating in th air; and from the way in which, in many cases, th organic matter is absorbed by hygroscopic sub stances, it would appear that it is often combin with, or is at any rate condensed with, the water the atmosphere."

Having thus entered a general protest against very humid artificial atmosphere, and stated o belief, and the reasons on which it is founded, that dry quality of air has many advantages, and if fre from impurity is perfectly consistent with health it remains to be said that common experience sho that a room heated to 70° and upwards at a heig of five feet from the floor, becomes more tolerab by the artificial addition of moisture unless it i receiving vapor from the presence of a large nu ber of persons or from many gas-burners or oth modes of lighting. Where the register is in t floor and the heated air ascends vertically, a the mometer in a room will show the temperature to very much higher near the ceiling. With th degree of heat there can be little doubt that evapo ation from the skin and lungs is really increase and this in equal degree whatever may be th ode of heating. Could heat be more equally iffused throughout a room warmed by a register it is by the radiant heat of an open fire, such mperatures as we now so often encounter in welling-houses would not be demanded, and the ed of artificial evaporation would not be felt; but point of fact it is very common to find the carpet rmed only to about 60°, while at the height of e head it is 70°, and at the ceiling many degrees igher. Artificial evaporation also tends to reduce e temperature, a certain amount of heat being bstracted by the conversion of water into vapor.

---

* Parkes' Hygiene, p. 91.

There are many persons so constituted that a oist air is more agreeable to their feelings than dry air, and for the same reasons doubtless, whatver they may be, which would lead them to prefer e climate of Nantucket to that of the interior of e continent.

It should also be stated that in certain inflammatory d irritable conditions of the respiratory organs a rm moist air is of inestimable benefit. Having us said more than we intended on the subject of r moisture, it only remains to add that the evaprating apparatus usually placed in furnaces is quite adequate to produce any effect appreciable by the et-bulb hygrometer. To change the humidity of e air under good ventilation, a large and shallow n exposed to the full heat of the furnace and conntly supplied by a cock whose movements are regulated by a ball floating on the water, or else a renewal of the water by pailfuls daily, are indispensable.

Probably the most useful way in which to add vapor to the air of a dwelling-house is by some attachments over the registers, provided they do not obstruct the ingress of air on which both warming and ventilation are dependent. By such adjustments moist air may be thrown where desired, and the inconvenience and discomfort of finding it condensing and dripping from the cold glass of the skylight may be in part at least avoided.

If as we believe the peculiar effects upon the human system attending the combustion of anthracite are not due to any change in the character of air or its contents by the contact of highly heated iron, or to the abstraction of moisture, we must look next at the composition of this fuel and the products of its combtistion.

Anthracite coal is nearly pure carbon. Ure's Dictionary and Professor Bloxam give the analysis of American anthracite as follows: —

Carbon, . . .	92.30
Volatile Matters, .	. 6.42
Ash,*	. 1.28
	100.00

Carbon, . . .	. 90.39
Hydrogen, . . .	. 3.28
Nitrogen, . . .	. 0.83
Oxygen, . . .	. 2.98
Sulphur, . . .	. 0.91
Ash,*	. 1.61
	100.00

---

* Chiefly silica, alumina, and peroxide of iron.

The composition of anthracite may be said to differ from that of all other fuel in common use, except charcoal, in the very large proportion of pure carbon and the very small proportion of compounds of hydrogen.

The products of its combustion may be stated to be carbonic acid and carbonic oxide gases, with a small amount of sulphurous acid gas and watery vapor.

Anthracite burns without smoke or soot and almost entirely without flame. When combustion is complete the products may be said to be carbonic acid gas and water, and the fumes of sulphur which although small in amount are often perceived.

Combustion is however seldom complete except in the furnace of a steam-boiler where the heat is intense and small supplies of fresh fuel are constantly added; and not even in this case unless the supply of air passing through and over the fire is abundant. Every one has observed the difficulty in bringing a mass of anthracite in a stove or grate to the point of free and complete ignition, particularly in cold weather. Owing to the great density of the fuel heat is conducted away from the surface, and such exposed portions can hardly be raised to the temperature required for burning.

We will suppose the fire to be fairly kindled and a mass of anthracite thrown over it. The process which follows may be thus described. The actual combustion of the lower range of coal in contact with the fire gives origin to carbonic acid gas. This, rising through the mass of heated coal above, is deprived of a portion of its oxygen and issue from the surface as carbonic oxide gas. In thi form it escapes by the flue for a period depending on the activity of the fire and the amou of air admitted. Finally, when the temperature the mass is raised, if the supply of air is sufficie it breaks into a pale-blue flame signifying its reconversion into carbonic acid gás. This may often b observed on suddenly opening the door of a stov or furnace. Without a supply of air it continue to pass off as carbonic oxide; with a supply of ai and a sufficiently elevated temperature it burn and becomes carbonic acid.* Sulphurous acid ga from the combustion of the sulphur is continually given off in small amounts.

The properties of these gases are now to be considered. The opinions which have for a long tim prevailed concerning the poisonous nature of carbonic acid are greatly modified by recent observations.

Its singular harmlessness and even its refreshin qualities when received by the stomach in effervescing drinks; the impunity with which considerable amounts can be breathed by the workmen in soda-water factories; its use by Dr. Simpson of Edinburg as an anæsthetic agent, diluted with two parts of air, — these and similar observations have led many chemists to doubt whether it was by itself, strictly speaking, poisonous. The statements made by physiologists and chemists are still conflicting, but the tendency of opinion is evidently to rank it rather with the obstructors of respiration than with the poisons.

---

* Barreswill (Journal für Praktische Chemie, vol. LXII.) thin that at low temperatures, carbon is converted into carbon acid, and at high temperatures into carbonic oxide; and explains in this way the more poisonous influence of a defectiv *flue than* of a pan of open coals.

Dr. Taylor says, in reference to this question, "It is absolutely necessary to make a distinction between the contamination of air by the addition of a proportion of free carbonic acid, and the case where this gas is produced by combustion or respiration."*

M. Bernard states that carbonic acid is not poisonous, and that when an animal dies from breathing this gas its death is owing to the mere want of respirable air; hence he considers its action to be purely negative like that of nitrogen; in short that it operates not by poisoning but by inducing suffocation.†

M. Guerard has breathed large amounts of carbonic acid from the expansion of liquefied acid without inconvenience. His opinion is that "carbonic acid is rendered more fatal by the presence of carbonic oxide, and that a quantity of each, which if respired alone would be innocuous, may become fatal to life if respired in mixture." *

---

* Taylor's Med. Jurisp., p. 711.

† *Substances* Toxiques, p. 137.

Regnault † asserts that carbonic acid can be breathed with impunity provided there is sufficient oxygen to maintain respiration. We shall again refer to the action of this gas when mingled with others, but meanwhile it may be said that it seems most probable that it does really possess active noxious properties of its own and that when respired its effect is narcotic. There is an important distinction certainly to be made between carbonic acid and nitrogen, since the former is readily absorbed by the blood. At the same time its most injurious influence is doubtless found in the obstacle which its presence offers to the free escape of carbonic acid by diffusion from the blood of the venous circulation in the lungs.

Concerning the properties of carbonic oxide gas, there is no discrepancy of opinion among physiologists or chemists. It is an active poison, *inodorous*, tasteless, and absorbed by water only in a slight degree.

Leblanc says: "One volume of it diffused through one hundred volumes of air totally unfits it to sustain life; and it appears that the lamentable ccidents which too frequently occur from burning harcoal or coke in braziers or chafing-dishes in lose rooms result from the effects of the small uantity of carbonic oxide which is produced and hich escapes combustion, since the amount of car-onic acid thus diffused through the air is not suffi-ent in many cases to account for the fatal result."*

---

* Annales de Hygiene, 1843, T. 2, p. 55.

† Taylor's Med. Jurisp., p. 716.

Leblanc analyzed the vapor from burning char-al which proved fatal to a dog, and found carbonic id 4.61 parts, carbonic oxide 0.54 parts.

Watts' Dictionary of Chemical Science says: Carbonic oxide gas is very poisonous, acting hiefly on the nervous system, causing giddiness, ometimes acute pain in various parts, and as-hyxia."

A very complete examination of the poisonous roperties of carbonic oxide has been made by M. ernard, Professor in the College de France.† He ys: "Carbonic oxide is one of the most poison-s gases known. For a long time it was sup-osed that under these circumstances (death by the mes of charcoal) the poisonous agent was carbonic id, which in all combustion is produced in consid-able quantity. Recently in examining the subject ith more care it has been discovered that besides rbonic acid, there is formed in these cases other very deleterious gas, — carbonic oxide.

---

* Bloxam's Chemistry, and Taylor's Med. Jurisp.

† Leçons sur les effets des substances toxiques.

Carbonic acid was then considered quite innocent by most of those who admitted that in poisoning by the fumes of charcoal the deadly agent was carbonic oxide. We have seen that this is incorrect, and that death may be caused by either of these gases. In the case of carbonic oxide, death results from poison; in the case of carbonic acid, from asphyxia."

Many experiments were made by M. Bernard before his class showing the effects of carbonic oxide on the lower animals. The results are seen in the action of this gas upon the blood, by which it is readily taken up through the lungs and passes into the general circulation. He finds the globules of the blood to be paralyzed, in a certain sense, by its presence; that they become unfitted for their office; that the blood remains red; that the conversion of arterial into venous blood is arrested; and that the animal dies as if by prussic acid. When the amount of this gas administered is insufficient to cause death the animal recovers on being supplied with atmospheric air and exhibits no subsequent ill effects.

M. Bernard also confirms the opinion of M. Guerard, before referred to, that the mixture of carbonic acid and carbonic oxide is more dangerous than either respired alone.

Dr. Letheby, Professor of Chemistry in the Medical College of the London Hospital, says, "he has tried the effect of carbonic oxide on birds and young uinea pigs. An atmosphere having two per cent. f this gas will render a Guinea pig insensible in wo minutes, and in all these cases the effects are e same; they fall insensible, and either die at ce with a slight flutter hardly amounting to conlsion, or they gradually sleep away as if in proound coma. The post-mortem appearances are not ry striking; the blood is a little redder than ual, the auricles are somewhat gorged with blood, d the brain is a little congested."* He also says at "This gas in a more diluted condition is still ble to exert an injurious action, and it is very robable that the singular catastrophe which happened at Clayton Moor, in 1857, was caused by the iffusion into the air of carbonic oxide gas from the eighboring furnaces. There is a row of cottages ar to these furnaces, where, in the month of June, 857, a number of persons were seized with insensiility which soon passed in some cases into coma d death. About thirty persons were thus atcked, and six died. The effects were attributed t the time to the escape of sulphuretted hydrogen om the slag on which the cottages were built; but is more than probable they were caused by the xide of carbon from the furnaces."

M. Adrien Chenot, a chemist of the French Academy,† relates a case of poisoning by this gas in his own person. Being anxious to examine t yielded by his process of smelting zinc ores, a having a suitable instrument at hand, he mouthful of carbonic oxide from his furnac pipette. While thus holding it he was su struck on the back by an assistant and the g inhaled. He fell as if struck by lightnin eyes were turned back in their orbits, the sl discolored, the veins were swollen and pres black tint under the skin, and there were pains in the chest. After removal to the o sensibility gradually returned. Among the described, M. Chenot says he felt as if hi was violently compressed; for several day was a feeling of depression and languor, digestion, and obstinate and heavy sleep; many subsequent weeks a morbidly excited the nervous system.

---

* Chemical News, April, 1862.

† Comptes Rendus, T. 38, 1854.

Similar effects are described in the same of the "Comptes Rendus" as resulting fr escape of carbonic oxide from a balloon wh been filled by the gas (water gas) produced passage of vapor over charcoal heated to r The aeronaut nearly lost his life.

M. Chenot also relates several instances in poisoning resulted from inhaling carboni when greatly diluted.

The deadly gas thus described is produce dantly in all ordinary combustion of ant pale blue flame presents an appearance peculiar, tinctive, and not to be confounded with any er. It flickers over our grates, stoves, furnaces, d appears in whatever form anthracite is burned. is seen at night burning as it issues from the mneys of factories and steamboats using this fuel. en the free combustion in such places where plies of coal are added every few minutes is n to be insufficient to burn and convert it into comparatively safe carbonic acid until it ches the outer air.

Does this gas really escape from our grates, and ves, and furnaces, and mingle with the air we eathe? Although carbonic oxide is completely inorous, another gas with which it is mixed is not. one escapes it may fairly be presumed the other es also. Who of us is not perfectly familiar with pungent, irritating fumes of sulphurous acid gas, ich we are liable to meet with wherever and in atever form hard coal is burned, whether in open tes, stoves, or furnaces? Perceptible in various rees, its existence is often denied by those who e been long accustomed to it; for habit dulls the se of smell in a remarkable degree; but coming m the open air it is often evident enough. Pers subject to spasmodic asthma can perceive it ough its effect upon the air-passages. When the ft of a furnace is checked by the sudden cooling the flues from the addition of fresh coal it is

especially evident. In an open grate with a goo
draft it is least perceptible; but even here whe
the grate is newly filled it can generally be per
ceived by putting the face close to the mantel-shelf
. The presence in anthracite of this minute propo
tion of sulphur is of real advantage in its domesti
use, since like the irritating smoke from wood a
soft coal it warns us of danger and furnishes
measure, however imperfect, of the amount o
poisonous and inodorous material with which it i
associated. Without it the combustion of anthra
cite for warming our houses would be far less saf
than it actually is.

The proof that it escapes into the air-chamber of
furnaces is not however dependent upon the sens
of smell. Litmus paper placed over the registe
of an ordinary furnace in which no smell of sul
phur may be perceived is in a short time not onl
reddened but bleached, showing unmistakably th
presence of sulphurous acid.

Another kind of proof that carbonic oxide g
mingles with the air of our houses is found in its o
served effects; and in this respect it resembles th
evidence on which certain green papers have bee
convicted of conveying arsenic poison to the air o
rooms. Arsenic found in the paper, and a certai
train of symptoms corresponding with known effect
of arsenic in the bodies of those who breathe the ai
which has been in contact with the paper. An ino

orous, insidious, stupefying, poisonous gas in the ate or furnace, and in the persons of those exposed its influence peculiar sensations, vaguely associ- ed by experience with the burning of hard coal, t having a remarkable correspondence with the certained effects of the inhalation of carbonic oxide. emists are not required to find the arsenic in the r to prove the reality of the poison, neither have ey yet discovered the carbonic oxide. Its dis- very in either case when existing in amounts only fficient to produce the effects observed would a matter of great difficulty.

It may however be objected that the air of the om is directly exposed to arsenic poison, while e poison of carbonic oxide is safely conducted up e flues and out of the house. That it is so con- yed for the most part is certainly true, or we ould none of us be living to consider the question ; t that a portion is also thrown into our houses y be shown by other reasons than those derived m its observed effects or from its association th the fumes of sulphur.

An open grate burning soft coal throws into the m particles of soot as all house-keepers know by effect upon furniture.

An open fire of wood communicates to the room culiar flavor of acetic acid and often a trace of gent smoke.

both cases the amount of these matters is determined by the completeness of the draft, the sta of the weather, the way in which the fire is built, the opening and shutting of doors, and a variety of similar conditions familiar to everybody. There i no reason why the poisonous gases from anthraci burned in a grate, although invisible, should no escape with equal freedom and from the sam causes. There is even more reason to expect i since modern flues for using this coal are frequentl made only eight inches in diameter. This size of flue stands in no proper relation with the air-spa exposed in front of the fire; and consequently a considerable amount of air being drawn within th range of such a fire and receiving a portion of th products of combustion, fails to find egress an flows in part over the mantel-shelf.

Cast-iron stoves and furnaces are necessaril made in pieces, and these pieces must separate wi the expansion and contraction of the metal.

No fastenings can resist this power, and some the makers of furnaces recognize the fact by makin the pieces to simply rest upon each other in groove filled with sand or with some other material n firmly fixed to the iron. As these parts are sub jected by the application of heat to continual chang of form, some portions being also exposed to great heat than others, they are warped, the fitting become loose, and openings are left through whic *the products* of combustion leak into the air-cham

r. How many furnaces, new or old, would prove be water-tight in the fittings of their parts, supsing them to be put to such a test?

Yet in the way furnaces are often used to save l and superfluous heat, the dampers partly closed, which is the same thing, air admitted to the nel between the fire and the flue, a very slow d imperfect combustion going on, and the gases thin the fire-pot nearly stagnant, nothing short water and air-tight fittings can prevent an escape m taking place between the joints.

Cast iron is also frequently defective in its strucre, and this is so well recognized a fact that the st rigid tests are required before it can be used many of the purposes to which it is applied. st-iron tubes for the conveyance of illuminating s are subjected to very heavy pressure before y can be safely used by the gas companies. It quite as important that our anthracite-burning ves and furnaces should be examined for the covery of imperfections with equal care; but that y are so in all cases may at least be doubted.

Certainly, wherever and however an opening ists, whether by imperfect fittings of the parts or defects in the casting of the iron, the law of fusion of gases must operate to mingle the cons of the fire-pot, furnace, and smoke-pipe with external air unless the current passing up the is very active.

But it is not even essential to prove that ir stoves and furnaces permit the passage of ga through their joints and fittings or through defe in their casting. A surprising discovery has q recently been made in France which has a m important practical bearing upon the question are considering. MM. St. Claire Deville Troost, of the French Academy, have publishe the "Comptes Rendus" an account of their ex ments upon the permeation of metals by gases, which it appears that several metals, including i when heated to a dull red heat, permit the pas of gases directly through their substance, and by virtue of a property thus described: "In als the porosity results from the dilatation w heat induces in the intermolecular spaces. related to the form of the molecules, which we suppose to be regular, and with their '*alignen* which determines the cleavage or the planes of ture among crystallized masses." *

It will be observed that this theory of the nomenon harmonizes perfectly with the new phi phy of heat as explained by Professor Tynda his "Heat a Mode of Motion." Of the fact o penetration of metals by gases, abundant evi is presented.

The first of the articles by MM. St. C

---

* Comptes Rendus, T. 57, p. 965, 1863.

Deville and Troost is entitled, "Upon the permeability of iron at high temperatures." [*] It is here shown that heated cast iron permits the passage of hydrogen gas; the tubes through the walls of which it freely passed were of the thickness of from three to four millimetres, or about one-seventh of an English inch. The second communication on the same subject is entitled, "On the passage of gases through solid homogeneous bodies." [†] The following is an extract: "I am able to demonstrate to physicists the great interest which attaches to these experiments upon substances as perfect as iron and platinum. These bodies resist elevated temperatures; their feeble conductibility facilitates very much the construction of apparatus; they are not permeable at ordinary temperatures, but this property develops as they are heated. As these substances are homogeneous the phenomena which they exhibit are free from disturbing causes such as attach to experiments upon materials obviously porous."

In seven experiments which are minutely described hydrogen, nitrogen, and *carbonic oxide* gases passed readily through the walls of cast-iron tubes three millimetres (about one-tenth of an English inch) in thickness.

The experiments of the French chemists are confirmed in all essential points in England by

---

[*] Comptes Rendus, T. 57, 1863. [†] Comptes Rendus, T. 59, 1864.

Prof. Graham, F. R. S., Master of the Mint.
immediate and practical concern is with the pe
tration of iron by carbonic oxide and carbonic
gases. It appears that it is by reason of this p
erty that iron is converted into steel.

The comments of Prof. Graham upon this p
tration of iron by carbonic oxide are as follows
"Pure iron is then capable of taking up at a
red heat and holding when cold, 4.15 volume
carbonic oxide gas. This fact, confirmed in va
experiments, explains partly, if not entirely,
abundance of carbonic oxide observed among
natural gases of iron in several experiment
MM. Deville and Troost. In the course of its p
aration wrought iron may be supposed to occ
six or eight times its volume of carbonic oxide
which is carried about ever after. How the
ities of iron are affected by the presence of su
substance, no way metallic in its characters, lo
up in so strange a way but capable of reappea
under the influence of heat at any time with
elastic tension of a gas, is a subject which m
lurgists may find worthy of investigation.
relations of the metal iron to carbonic oxide
appear to be altogether peculiar. They ca
fail to have a bearing upon the important pr
of *acieration*. . . . .

"The inquiry suggests itself whether acier
would not be promoted by alternation of tem

re frequently repeated. The lowest red heat, or a mperature even lower, appears to be most favorle to the absorption of carbonic oxide by iron, for impregnating the metal with that gas; while much higher temperature appears to be required enable the metal to decompose carbonic oxide, appropriate the carbon and become steel." *

t clearly appears from the experiments of MM. Delle and Troost, and the remarks of Prof. Graham, at iron at a low red heat, or even lower, can take this most deadly poison from our anthracite coal d permit its passage directly through the subance of the metal.

Does this not offer a reasonable explanation of e injurious influences of our iron stoves, furnaces, d smoke-pipes, when excessively heated?

These influences are real. It cannot be mere agination which has so generally associated highly ated iron with unpleasant and peculiar sensations; t the connection has been mysterious. To say at air is scorched is vague and indefinite. The mponent parts of air are certainly unchanged; the ygen, nitrogen, and watery vapor remain as before. The dust in the air is, or may be, charred even burned; but is it at all probable that the arring or the complete combustion of minute mounts, hardly perceptible by the sense of smell, the substances of which dust is composed, even

---

* *London Philosophical Magazine*, Vol. xxxii., 1866.

if it took place in the still air of an unventilat room, would give rise to a *peculiar form of hea ache, or languor, oppression of respiration, a general disturbance of nervous functions?*

We have seen that there is an agent capable producing these effects: that carbonic oxide alwa produces them when inhaled; that carbonic oxide formed in all combustion of anthracite; that it liable to escape in several ways from the grat stoves, and furnaces in which it is burned; and th as these latter are commonly used it can hardly to escape in greater or less amounts; and that s phurous acid, an irritating gas and readily rec nized, is known to escape.

We therefore feel justified in expressing our c viction that the inhalation of small amounts of t active blood-poison, *carbonic oxide gas* (mingled doubt with carbonic acid gas, and its poison quality thus increased), is the chief and probal the only cause of the unpleasant sensations and injurious influences so commonly associated with combustion of anthracite coal.

The first step in the prevention of disease is discovery of its exciting cause; the next step is removal. The reasonable question will be aske "If these things are so, what is the remedy?" give up the use of anthracite coal as a means warming houses would seem to be impossible. T *next best* thing is to provide for the free escape the smoke-flue of these poisonous gases. To do this we should

1st. Never allow our iron fire-pots to attain that degree of heat which permits the passage of gases through their substance.

2d. We should have perfect castings, and as few joints as possible in our stoves and furnaces, and these should be horizontal, and never vertical joints.

3d. We should never check the free ingress of fresh air, and the perfectly free egress of the products of combustion by dampers, valves, or similar contrivances of any sort.

4th. We should so burn the coal that under all possible circumstances a pressure of air from without inwards may be exerted upon the fire-pot, furnace, and smoke-pipes.

That this manner of using coal will be found expensive is unquestionable; that keeping a free burning fire in all weather will be found uncomfortable, is equally true. Perhaps in the progress of science some means may be found to obviate these and other difficulties.

The best and safest modes of warming houses now practised are undoubtedly those in which air, drawn from without, is passed through coils of pipes filled with either steam or hot water in an enclosed space in the cellar, and thence distributed above. They are however very expensive in their first cost, not easily regulated, and liable to freeze and require repairs when most needed in our coldest weather if the fier is neglected.

Furnaces for burning wood have also many advantages. They are simple in construction, and give an abundance of heat of the most agreeable quality. The expense of fuel, even in Boston, is very little more than that of coal. The disadvantages are, first, the need of abundant cellar or yard-room for the storage of wood; second, the addition of fresh fuel four or five times a day; third, the need of large old-fashioned flues to carry off the smoke, a modern-sized flue requiring frequent cleaning; and, fourth, the condensation of the products of the distillation of wood, impure acetic acid, in and about the flue and chimney. With a large flue in a house in the country, where wood can be bought cheap, and with plenty of room to store it, the wood-burning furnace would be preferable to any other.

We can see no reason why illuminating gas may not some day be made cheap enough to furnish heat as well as light to our homes. It is possible certainly to imagine that an arrangement of Bunsen burners, easily regulated and graduated according to the weather, and furnishing as products of combustion only carbonic acid and vapor to be conducted into a flue as soon as formed, might be made to supply any amount of heat required for domestic purposes.

3 2044 055 040 786

This book should be returned to the Library on or before the last date stamped below.

A fine of five cents a day is incurred by retaining it beyond the specified time.

Please return promptly.

H130578

CANCELLED

DEC 14 1972

JAN 9 19 H

WIDENER

MAR 06 2002

CANCELLED

WIDENER

SEP 10 2002

BOOK DUE